

NO. 72898

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAY 27 2005

Returned to applicant for correction JUNE 13 2005

Corrected application filed _____

Map filed AUG 11 2005

The applicant **Verdi Lumber Company Building, c/o Michael W. Pierczyk**, hereby make application for permission to change the **point of diversion** of water heretofore appropriated under **Proof of Appropriation V-09354**.

1. The source of water is **Underground**
2. The amount of water to be changed **0.11 cfs, 5 acre-feet annually**
3. The water to be used for **Commercial**
4. The water heretofore permitted for **Commercial**
5. The water is to be diverted at the following point **NW¹/₄ NW¹/₄ Section 17, T.19N., R.18E., M.D.B. & M or at a point from which the NW corner of said Section 17 bears N. 61°57'00" W. a distance of 1195.6 feet.**
6. The existing permitted point of diversion is located within **the NW¹/₄ NW¹/₄ Section 17, T.19N., R.18E., M.D.B. & M. or at a point from which the NW corner of said Section 17 bears N. 58°59'00" W. a distance of 1320.9 feet. This is within 150 feet of the proposed well.**
7. Proposed place of use **within the NW¹/₄ NW¹/₄ Section 17, T.19N., R.18E., M.D.B. & M. further described as the historic Verdi Lumber Company Building located within Washoe County APN 038-392-01.**
8. Existing place of use **No change**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works. **Exisiting 8" diameter well, 616 ft. deep, w/ submersible pump & motor.**
12. Estimated cost of works **\$500,000.⁰⁰**
13. Estimated time required to construct works **See description under Item #11. Need approximately 1 month to put in a water meter & pipeline across 2nd St.**
14. Estimated time required to complete the application of water to beneficial use **2 years**

15. Remarks: Refer to map filed under cancelled Permit 50838. Refer to Case No. CV03-06155, 2nd Judicial Court, filed in V-09354.

By Michael W. Pierczyk
s/Michael W. Pierczyk
P.O.Box 1216
Verdi, NV 89439

Compared bcm/gkl dl/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Proof V09354 is issued subject to the terms and conditions imposed in said Proof V09354 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued subject to any determination of the underground waters of the Truckee Canyon Segment, Basin 91 that may be made under adjudication proceedings pursuant to N.R.S. 534.100.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.11 cubic feet per second, but not to exceed 5.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

March 23, 2008

Proof of completion of work shall be filed on or before:

April 23, 2008

Water must be placed to beneficial use on or before:

March 23, 2011

Proof of the application of water to beneficial use shall be filed on or before:

April 23, 2011

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 23rd day of March, A.D. 2006


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____